


(No Model.)

F. SCHWATKA.

FOLDING SKELETON GUN STOCK.

No. 305,537.

Patented Sept. 23, 1884.



WITNESSES:

Donn Twitchell.
C. Sedgwick

INVENTOR:

F. Schwatka

BY

Munn & Co

ATTORNEYS.

UNITED STATES PATENT OFFICE.

FREDERICK SCHWATKA, OF VANCOUVER BARRACKS, WASHINGTON TERRITORY.

FOLDING SKELETON GUN-STOCK.

SPECIFICATION forming part of Letters Patent No. 305,537, dated September 23, 1884.

Application filed February 21, 1884. (No model.)

To all whom it may concern:

Be it known that I, FREDERICK SCHWATKA, of Vancouver Barracks, in the county of Clarke and Territory of Washington, have invented a new and Improved Folding Skeleton Gun-Stock, of which the following is a full, clear, and exact description.

This invention consists in a skeleton folding gun-stock or gun-stock extension pivoted to swing upon a smaller stock of a gun or pistol—as, for instance, on the grip part of the pistol—and arranged so that when closed it fits underneath the stock or body part of the gun, thus securing great compactness, and providing for a large extension of the gun-stock.

It also consists in a spiral articulated construction of said skeleton folding gun-stock, and in a combination, with said stock, of fastenings for securing the same when closed and when extended.

Said invention essentially differs from a gun or pistol stock in which a solid butt portion is hinged to the frame of the weapon in rear of its barrel, also from a pistol provided with a stick-like or solid extension stock arranged to slide through or upon the handle of the pistol.

Reference is to be had to the accompanying drawings, forming part of this specification, in which similar letters of reference indicate corresponding parts in both the figures.

Figure 1 represents a side view of a fire-arm having my invention applied, and showing, by full and dotted lines, respectively, the folding stock as extended and as closed. Fig. 2 is a transverse section through the smaller or fixed stock of the "arm" with means for the adjustment and securing of the upper part of the folding stock.

A is the "grip" of the pistol or fire-arm, and B C D D' bars of which the folding skeleton stock is composed. The bar B, which occupies the lowermost portion when the stock is extended, is hinged or pivoted, as at *a*, to the back part of the grip of the pistol, and the upper bar, C, is jointed at its inner end, *a'*, to a slide, *b*, fitted to work within a longitudinal slot, *c*, in the tang *d* of the pistol-grip, and provided with a thumb-screw or snap or other fastening, *e*, to hold said bar in position when

extended. A similar or other suitable fastening, as at *f*, is provided for holding the folding stock when closed. The bars or plates D D', which form the butt of the extending and folding stock, are pivoted to each other, as at *g*, and at *h h'* to the outer ends of the bars B C. The shape of these several bars will vary with the shape of the smaller fixed stock or portion of the arm they are designed to fold against, or style of the fire-arm to which the folding skeleton stock is applied. In closing the folding stock, the slide *b* moves from the position shown for it by full lines in Fig. 1 to that occupied by it in dotted lines, same figure, and when the skeleton stock is folded it assumes the position shown by dotted lines in Fig. 1. The bars B C are of such waved configuration as that, when the skeleton stock is folded, they will close one into the other and hug the lower side of the fixed or smaller stock of the gun, and the butt-bars D D' fold within them. The bars B C, when the folding stock is extended from *a'* to *h'* and from *a* to *h*, connected by the butt plates or bars jointed, as at *g*, correspond, varying, however, in shape with the style of gun. The nearer the portion of the gun from *a* to *f* approaches a straight line the nearer will the bars B C approach a straight configuration. The butt plate or plates D D', hinged together, as at *g*, fold inward or backward against the inner sides of the outer portions of the bars B C, as the extended folding stock is swung around on the pivot *a* to close or fold it. If said plates D D', which should be of the same shape, or nearly so, as the portions of the bars B C against which they fit when closed, are not made arched inward or hollow, then said portions of the bars B C should be made so, and a corresponding alteration from *f* to the left be made in the under side of the thimble-stock.

When the stock is extended ready for use, its waved configuration will bring certain parts of the upper and lower bars B C near each other, and at these points struts or braces G G, hinged to one bar and snapping into the other, may be used to strengthen the skeleton stock and give it a truss-like construction. These hinged struts should have the same configu-

ration, or thereabout, as the portions of the bars B C against which they close when released.

At either one of the two joints or portions
 5 *h h'* is a ring, *i*, large enough to insert the fore-
 finger, to facilitate the folding and extending
 of the stock. To fold the stock, the fastening
e is released, which admits of the slide *b* work-
 10 ing down within or along the groove *e* for the
 stock to swing upon the hinge or pivot *a*, and
 after the stock has been folded, as shown by
 dotted lines in Fig. 1, it is secured by the
 fastening *f*.

Having thus described my invention, I claim
 15 as new and desire to secure by Letters Patent—

1. A folding skeleton gun-stock or gun-stock
 extension pivoted to swing upon a smaller
 stock or body part of the gun, and arranged
 to fold beneath the same, substantially as speci-
 20 fied.

2. The articulated folding skeleton gun-stock

in pivoted and jointed and sliding connection
 with a smaller stock or body part of the gun,
 and arranged for operation in relation there-
 with essentially as described. 25

3. In a folding skeleton gun-stock, the com-
 bination of the waved or irregular-shaped bars
 B C, the jointed butt-plates D D', the fixed
 pivot *a*, and slide *b*, with its pivot *a'* and the
 fastenings *e f*, all arranged for operation in
 30 relation with each other and the smaller stock
 or body part of the gun, substantially as and
 for the purposes specified.

4. In an articulated folding skeleton gun-
 stock, arranged for operation as described, 35
 the combination, with the bars B C, of one or
 more pivoted struts or braces, G, essentially
 as and for the purpose herein set forth.

FREDERICK SCHWATKA.

Witnesses:

A. S. KIMBALL,
 CHARLES F. WEST.